

Digital Controller for Ventilated Refrigeration Unit

RACE PB PSK214N9VXBS UK



Customer Value Proposition:

- PSK214N9VXBS, controller manages ventilated refrigeration units by controlling compressor and defrost, by electric or hot gas, and evaporator fan management,
- Four digital outputs, 1 configurable, and HACCP functionalities,
- 3 ½ digit display shows decimal point value even at -100.5°C,
- 2 -3 x NTC/PTC inputs,
- Easy to understand multicolour icons,
- Multifunction digital inputs,
- Real Time Clock (RTC) daily programming defrost & energy saving cycle
- Buzzer, TTL serial port,
- IP65 front Panel Protection,
- Size: 75 x 33 mm,
- Panel cut out 71 x 29 mm
- Power supply 115 - 230 VAC 50 - 60 Hz
- 16A compressor relay.



Contact Information:

Parker Hannifin Ltd
Climate and Industrial Controls Group
Refrigeration and Air Conditioning Europe
Cortonwood Drive, S73 OUF
United Kingdom
Tel +44 (0) 1226 273400
Fax+44 (0) 1226 273401
www.parker.com/race

Product family:

- PSK214 Ventilated
- Refrigeration Unit


Applications:

- Catering Equipment
- Food & Beverage




ENGINEERING YOUR SUCCESS.

Dimensional Data:



Electrical Connections:



© 2010 Parker Hannifin Corporation.
All rights reserved.

Parker Hannifin Ltd

RACE PB PSK214N9VXBS UK - 09/2010 - Zalsman

Climate and Industrial Controls Group
Refrigeration and Air Conditioning Europe
Cortonwood Drive, S73 OUF
United Kingdom
Tel +44 (0) 1226 273400
Fax +44 (0) 1226 273401
www.parker.com/race

